






MN Carport

SI EN








Kazalo

Table of contents

- 02 Opis produkta | Product description
- 04 Fotogalerija | Photo gallery
- 20 Ključne lastnosti | Key features
- 21 Poševni Prerez | Cross-sections
- 22 Modeli ter maksimalne dimenzije | Models and maximum dimensions
- 25 Juicebox polnilna postaja | Car Charging Station Juicebox Pro
- 26 Fotovoltaični paneli | Photovoltaic panels
- 28 Dodatki za strani | Side development
- 29 Dodatki | Accessories
- 30 Barvna paleta | Colour range
- 32 Certifikati | Certificates



Opis produkta

Product description

SI

MN Carport je inovativna rešitev za zaščito vašega vozila. Gre za aluminijasto, fiksno streho, ki štiti vaš avto pred soncem, dežjem, vetrom in snegom. Minimalistična oblika, estetsko privlačen zaključek, brez vidnih pritrdilnih elementov in izbira barv omogočajo, da se Carport prilega v vsako okolje.




Nadstrešek lahko zaradi konstrukcije iz aluminija služi tudi kot nadstrešek na terasi. Zahvaljujoč inovativni tehnologiji lahko nadstrešek za teraso po želji opremite s podstreho iz tkanine in celo s svetlobnimi trakovi LED ter infrardečim grelnikom. Če želite vrtno pohištvo in drugo opremo zaščititi pred slabimi vremenskimi razmerami, se splača odločiti za screen roloje ali zasteklitev. Imeli boste funkcionalen prostor, v katerem boste lahko preživljali čas ob kateremkoli letnem času ali času dneva.

EN

The MN Carport is a modern parking space. It is a solid, fixed roofing that protects your car from the sun, rain, wind and snow. The minimalist form, aesthetically pleasing finish, with no visible fixings and a choice of colours allows the Carport to fit into any environment.

MN Carport

The carport structure can be successfully used as a standard terrace roofing. In this option, we recommend adding a lower roof in the form of an aesthetically pleasing fabric and equipping the structure with LED lighting and infrared heaters. If you want to cover yourself, your furniture and accessories, it is worth choosing side Shutters, ZIP blinds or glazing. You will gain a functional space to spend time at any time of the day or even year.



Nadstrešek za vozila s fotovoltaičnimi paneli

Carport with photovoltaic panels

Fiksna streha omogoča namestitvev fotovoltaičnih panelov in uporabo pridobljene električne energije za napajanje gospodinjstkih aparatov ali polnjenje električnega avtomobila.

The fixed roof will provide the opportunity for the installation of photovoltaic panels and the use of the resulting electricity to power household appliances or to charge an electric car.



Streha s fotovoltaičnimi paneli

Roof with photovoltaic panels



Streha brez fotovoltaičnih panelov

Roof without photovoltaic panels

Podstreha iz tekstila (izbirno)

Bottom roof - fabric (option)

Kot dodatno možnost je mogoče naročiti podstreho, ki pokriva od spodaj vidno strešno pločevino. Spodnja stran strehe je izdelana iz estetsko elegantne tkanine z nosilci, v katere je mogoče vgraditi LED trakove.

As an additional option, a bottom roof can be ordered to cover the exposed roof sheet visible from below. The underside of the roof is then made of an aesthetically elegant fabric with beams in which LED Strip lights can be fitted.



Podstreha s tkanino

Bottom roof with the fabric




Brez podstrehe s tkanino

Bottom roof without the fabric

Fotogalerija


Photo gallery

MN Carport


























MN Homescape











Ključne lastnosti

Key features



SI

Konstrukcija iz **Aluminija**, Streha iz **pravokotnih panelov**

Integriran **sistem odvodnjavanja**

Možnost integracije **fotovoltaičnih strešnih panelov**

Možnost **modularnega** priklopa za več nadstreškov

Največja odpornost proti vetru **120 km/h**

Odpornost na obremenitev s snegom **72-300 kg/m²**

EN

Aluminum construction, **trapezoidal sheet metal** roof

Integrated **water drainage system**


Possibility of mounting **photovoltaic panels** to the roof

Option of **modular** connection

Maximum wind resistance **120 km/h**

Resistance to snow load **72-300 kg/m²**

Poševni prerez | Cross-sections




Profil konstrukcije

Construction profile

Profil nosilca z možnostjo odpiranja

Openable supporting profile



Prerez pravokotnega panela T60P (mm) | Cross-section through trapezoidal sheet T60P (mm)

Sistem odvodnjavanja Water drainage system



Moduli in maksimalne dimenzije

Models and maximum dimensions

Nadstrešek za eno vozilo | One-station Carport



PAVILON	FREEDOM	INFINITY
Z dovozom With gate	Z dovozom With gate	

Dvojni nadstrešek | Two-stations Carport



PAVILON



FREEDOM



INFINITY



Z dovozom | With gate



Z dovozom | With gate




Modularni enojni nadstrešek za vozilo

One-station Modular Carport



PAVILON	FREEDOM	INFINITY
		



Polnilna postaja za vozila Juicebox Pro

Car Charging Station Juicebox Pro



SI

JuiceBox Pro E je na voljo z močjo 22 kW, 32A in 3-faznim napajanjem. Ima funkcijo Demand Limitation Pro, ki omogoča polnjenje pri največji razpoložljivi moči, ne da bi jo prekoračili.

EN

JuiceBox Pro Available in 22 kW, 32A, and 3-phase power level. It has a Demand Limitation Pro feature that allows charging at the maximum available power without exceeding it.

Fotovoltaični paneli

Photovoltaic panels



SI

Pravokotna streha omogoča, da je velikost fotovoltaičnih panelov prilagoditi vašim potrebam. Glede na izbrane dimenzije konstrukcije se izbere ustrezne dimenzije fotovoltaičnih panelov.

EN

MN Carport is a tailor-made roof.



The photovoltaic panels, which have their own fixed dimensions, define a specific framework, but the trapezoidal sheet metal roof underneath makes it possible to adapt the size of the Carport to the investor's needs. Depending on the chosen dimensions of the structure, the appropriate panel packages are selected.

Primeri | Set of examples

PAKET 1 | PACKAGE 1

Enojni nadstrešek za vozilo | One-station Carport



Širina Width	400 cm
Dolžina Projection	590 cm
Fotovoltaični paneli Panels	10 kosov pcs. TIGER NEO (TYP N 54HL4-B 400-420 W)
Celotna proizvodnja Total output	4200 W



PAKET 2 | PACKAGE 2

Dvojni nadstrešek za vozila | Two-stations Carport

Širina Width	530-600 cm
Dolžina Projection	540-590 cm
Fotovoltaični paneli Panels	12 kosov pcs. TIGER NEO (TYP N 54HL4-B 400-420 W)
Celotna proizvodnja Total output	5040 W




Dodatki za strani

Side development


Screen rolo

ZIP Screen




Vodoravni stekleni

paneli Glazing system



Rolete

Shutters




Dodatki

Accessories

LED Osvetlitev

LED Lighting



Podstreha s tkanino | Bottom roof with the fabric

LED točkovno | LED spot



LED linija | LED strip




Brez podstrešnega sloja tkanine | Bottom roof without the fabric

LED linija | LED strip



Infrardeči grelnik

Infrared heater




Možnosti barv | Colour Range

Konstrukcija | Construction

STANDARD



SONSTIGE FARBEN | ADDITIONAL



Pravokotni paneli | Trapezoidal sheet











STANDARD



SONSTIGE FARBEN | ADDITIONAL



Opatex – podstrešna tkanina | Opatex Fabric – bottom roof

	Bela White		Antracitna/Kremna Anthracite/Cream
	Svetlo siva Light grey		Rjavozelena/Kremna Taupe/Cream
	Kremna/Kremna Cream/Cream		Zelena/Kremna Green/Cream
	Siva/Kremna Grey/Cream		Antracitna Anthracite
	Bordo rdeča/Kremna Bordeaux/Cream		Črna Black

DODATNE TKANINE | ADDITIONAL

Veozip | Serge 600 / Copaco / Aeroflex | Soltis W 96 | Serge 600 SOLAR



Certifikati | Certificates


Zasnova konstrukcije iz aluminija	Design of aluminium structures	EUROCODE 9: EN 1999
Pravokotni paneli	Trapezoidal sheet metal	PN-EN 14782:2008
External blinds. Performance requirements including safety	External blinds. Performance requirements including safety	PN-EN 13561 + A1/2010
Predpisi za gradbene proizvode	Regulation of the construction products	CPR 305/2011
LED luči	LED lighting	EN 62031 :2008
Prašno barvanje	Powder-coating	QUALICOAT
Največja odpornost proti vetru	Maximum wind resistance	120 km/h
Največja nosilnost snega	Snow resistance	72-300 kg/m ²

Kontakt

Contact

SI 080 22 00

EN 00 386 80 22 00





mn-nadstreski.si

